

E. coli Bacteria Results Squaw Creek Watershed Snapshots

Site #	Location	Oct 2006 CFU/100 ml	May 2007 CFU/100 ml	Oct 2007 MPN/100 ml	May 2008 MPN/100 ml	Oct 2008 MPN/100 ml	May 2009 MPN/100 ml	Oct 2009 MPN/100 ml	May 2010 MPN/100 ml	Oct 2010 MPN/100 ml	May 2011 MPN/100 ml	Oct 2011 MPN/100 ml	May 2012 MPN/100 ml	Oct 2012 MPN/100 ml	May 2013 MPN/100 ml	Oct 2013 MPN/100 ml	May 2014 CFU/100 ml	Oct 2014 CFU/100 ml	May 2015 CFU/100 ml	Oct 2015 CFU/100 ml
SC2	Squaw Creek at 390th Street	110	10	1400	230	930	(empty vial)	630	490	260	310	250	300				267	133	167	333
SC3	Squaw Creek - 110th St & U Ave.	250	81	1400	110	750	230	210	500	160	710	86	52				267	>=167	100	400
SC4	Glacial Creek (trib to Squaw Creek; U Ave south of 110th St)	110	20	770	70	560	790	160	170	260	860	130	62			130		>=167	33	167
SC5	Talynn's North Sample Site (V Ave north of 120 th)	140	120	420	60	520	5200	840	300	450	530	-	430		710	190	567	433	33	
SC7	Beard/Mackie (Squaw Creek at E18)	20	110	1400	130	1700	1700	250	480	290	490	-	170		930	360	167	133	67	333
SC10	Squaw Creek at 150th St.	170	300	1100	110	650	2500	320	780	250	650	110	330		3000		200	133	33	933
SC8	Montgomery Creek 1	360	140	1200	240	2500	360	1100	220					stagnant	1300	1200		567	67	500
SC11	Montgomery Creek 2	210	160	990	160	960	440	360	580	190	1600	160	880	790	1000	340		567	200	900
SC12	Prairie Creek 1	180	220	1100	460	1300	570	500	310						74	75		467	133	300
SC13	Prairie Creek 2	280	430	2200	710	1800	5500	660	1100	450	6500	280	440	stagnant	810	20		433	467	1100
SC14	Squaw Creek @ 170th St. Bridge	100	270	1600	380	810	5500	620	640	360	2500	-	96		1200	10	367	333	200	633
SC16	Squaw Creek above Gilbert Creek	170	240	1300	220	930	4600	100	1000	200	790	-	41		680		433	Empty vial	267	633
SC15	Gilbert Creek above Squaw Creek	560	470	320	280	490	780	110	130	260	370	-	140		98		1967	433	133	567
SC19	Onion Creek at R-38 (Co. Line Rd)	60	63	740	120	530	2100	490	210	220	750	1500	330	dry	150		800	533	133	567
SC22	Onion Creek (Reactor Woods)	240	90	680	170	400	4400	910	910	50	270	<10	200	dry	200		300	567	233	167
SC18	Moore Park (Squaw Creek)	200	240	1100	260	430	1400	180	860	190	720	110	150		460	340	467	367	333	167
SC25	Clear Creek Boone (site north 25 feet)	420	30	180	20	100	80	40	50											67
SC27	Clear Creek at Emma McCarthy Lee bridge	55	90	660	120	380	100	130	170	200	200	dry	86	dry	98		133	933	67	500
SC26	Clear Creek Pammel Woods	960	170	960	230	720	290	<10	120	990	<10	<10	110	100000	310		200	367	200	433
SC23	AHS Tributary of Squaw Creek	810	30	10000	4400	1000	50	560	120	5200	30000	<10	150		500		0	0	0	0
SC24	Squaw Creek 13th Street	120	190	1200	170	600	2600	960	240	520	650	230	dry	500	380	300	300	300	333	233
SC28	Brookside Park (6th St.)	160	260	1200	260	530	2000	560	1000	210	1400	-	250	dry	330	710	733	333	133	367
SC35	College Creek at Wilder	130	150	860	350	260	190	3400	2400	4600	1400	270	31	2400	110	63	2433	133	200	33
SC38	Ames Middle School Site 2 (west site)	240	130	350	1900	260	510	310	520	200	280	(empty vial)	350	1700		1100	3333	167	67	133
SC49	College Creek ISU Arboretum		290	3300	3300	860		1500	820	720	300	85	440	dry	240		1300	contaminated	300	1033
SC31	College Creek (near Elwood Drive)	2800	270	7700	1900	1000	990	1000	290	930	380	580	340	26000	2200		2600	1200	733	333
SC54	Pammel Creek above 6th Street		170		250	530	7700	120	50	(empty vial)	160	8700	85		330	4400	1133	100	0	233
SC55	CyRide Creek above Elwood		10		1100	120	610	3100	250	5500	110	410	300		20		567	67	0	100
SC33	Squaw Creek at Fourth St. bridge in Ames	310	220	1700	330	880	570	320	960	190	200	2300	150	dry	320		467	367	100	767
SC44	Komar Creek (tribuary to Worrell)	4200	140	1600	1600	1500	110	60	620	270	85	dry	180	dry	190		333	300	133	200
SC43	Worle Creek (near Meadow Glenn Rd)	300	240	2800	470	2400	200	190	710	240	190	370	620	dry	31		100	67	867	133
SC40	Worrell Creek (South 16th Street)	170	240	1300	240	3300	250	50	830	190	410		380	dry	110		100	100	33	33
SC41	South Branch Worrell Creek (below Creekside Dr)		27	1900	560	360	320	360	160	230	1300	820	1600		210		0	100	33	500
SC57	Near Squaw Creek Drive (stormwater drainage)		170	9800	1000	680	90	2900	20	880	63	8700	<10		<10		0	0	0	33
SC39	Squaw Creek at Duff Avenue in Ames	160	240	1000	270	840	440	310	960	(empty vial)	360	660	130		410		7133	333	167	267

Meets A1-A3 Primary Contact standard of 235 cfu/100 ml
Exceeds A2 Secondary Contact standard of 2880 cfu/100 ml
Squaw Creek, main branch, designated A1

Dietz

**IOWATER Bacteria Monitoring
Squaw Creek Snapshot**

Name Rick Date 5/2/15 Time 3:30

Site #	Sample Volume (ml)	Incubation				E. Coli Bacteria	General Coliform
		Start	Stop	Total hours	Temp		
SC2							
Rep 1	1	1600	1630	48.5	96	1	26
Rep 2						2	28
Rep 3						2	26
SC3							
Rep 1	1	1600				2	32
Rep 2						0	25
Rep 3						1	33
SC4							
Rep 1	1	1600				0	21
Rep 2						0	27
Rep 3						1	22
SC5							
Rep 1	1	1615	1640	48.5		0	18
Rep 2						1	12
Rep 3						0	13
SC7							
Rep 1	1	1615				1	28
Rep 2						0	9
Rep 3						1	23
SC10							
Rep 1	1	1615				1	27
Rep 2						0	27
Rep 3						0	23
SC14							
Rep 1	1	1655	1650	48		3	27
Rep 2						3	30
Rep 3						0	28
SC23							
Rep 1	1	1655				0	0
Rep 2						0	0
Rep 3						0	0
SC24		1705	1700	48			
Rep 1	1					2	46
Rep 2						4	39
Rep 3						4	46
SC28		1705					
Rep 1	1					2	48
Rep 2						1	41
Rep 3						1	35
SC40		1705					

Dietz

Rep 1						0	30
Rep 2						1	33
Rep 3	1					0	23
SC							
Rep 1							
Rep 2							
Rep 3	1						
SC							
Rep 1						22	
Rep 2							
Rep 3	1						
SC							
Rep 1							
Rep 2							
Rep 3	1						
SC							
Rep 1							
Rep 2							
Rep 3	1						

Dietz

Average E. Coli per sample	Average General Coliform per sample
----------------------------	-------------------------------------

1.67 26.67

1.00 30.00

0.33 23.33

0.33 14.33

0.67 20.00

0.33 25.67

2.00 28.33

0.00 0.00

3.33 43.67

1.33 41.33

Dietz

0.33 28.67

0.00 0.00

7.33 0.00

0.00 0.00

0.00 0.00

Engle

**IOWATER Bacteria Monitoring
Squaw Creek Snapshot**

Name Ed_Engle Date 5/4/15 Time 10:45 pm

Site #	Sample Volume (ml)	Incubation				E. Coli Bacteria	General Coliform
		Start	Stop	Total hours	Temp		
		8:00 p.m.	10:00 p.m.	50	95		
SC41							
Rep 1	1					1	22
Rep 2						0	19
Rep 3						0	15
SC27							
Rep 1	1					0	64
Rep 2						1	45
Rep 3						1	51
SC54							
Rep 1	1					0	9
Rep 2						0	14
Rep 3						0	8
SC57							
Rep 1	1					0	0
Rep 2						0	0
Rep 3						0	0
SC33							
Rep 1	1					2	46
Rep 2						0	42
Rep 3						1	67
39							
Rep 1	1					2	66
Rep 2						1	44
Rep 3						2	67
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							

Engle

Average E. Coli per sample	Average General Coliform per sample
----------------------------	-------------------------------------

0.33 18.67

0.67 53.33

0.00 10.33

0.00 0.00

1.00 51.67

1.67 59.00

0.00 0.00

0.00 0.00

0.00 0.00

0.00 0.00

Merrick

**IOWATER Bacteria Monitoring
Squaw Creek Snapshot**

Name **LAURA MERRICK**

Date MAY 2-4, 2015

Time 8:00 PM

Site #	Sample Volume (ml)	Incubation				E. Coli Bacteria	General Coliform
		Start	Stop	Total hours	Temp		
	1ml = all	8:00 PM	8:00 PM	48	Ave. 95F		
SC 15							
Rep 1	1	same	same	same	same	0	0
Rep 2		same	same	same	same	1	0
Rep 3		same	same	same	same	3	0
SC 16							
Rep 1	1	same	same	same	same	2	0
Rep 2		same	same	same	same	1	0
Rep 3		same	same	same	same	5	0
SC 18							
Rep 1	1	same	same	same	same	3	2
Rep 2		same	same	same	same	3	1
Rep 3		same	same	same	same	4	1
SC 19							
Rep 1	1	same	same	same	same	3	0
Rep 2		same	same	same	same	0	0
Rep 3		same	same	same	same	1	0
SC 43							
Rep 1	1	same	same	same	same	4	2
Rep 2		same	same	same	same	14	3
Rep 3		same	same	same	same	8	3
SC 44							
Rep 1	1	same	same	same	same	3	0
Rep 2		same	same	same	same	1	0
Rep 3		same	same	same	same	0	0

Merrick

Average E. Coli per sample	Average General Coliform per sample
----------------------------	-------------------------------------

1.33	0.00
------	------

2.67	0.00
------	------

3.33	1.33
------	------

1.33	0.00
------	------

8.67	2.67
------	------

1.33	0.00
------	------

Schuck

**IOWATER Bacteria Monitoring
Squaw Creek Snapshot**

Ron Schuck

Sample Date 5/2/2015

9:30 - 11:30 A.M.

Site #	Sample Volume (ml)	Incubation				E. Coli Bacteria	General Coliform
		Start	Stop	Total hours	Temp		
SC 35							
Rep 1		2-May	4-May	48	98	2	16
Rep 2		2-May	4-May	48	98	2	11
Rep 3		2-May	4-May	48	98	2	11
SC 38							
Rep 1		2-May	4-May	48	98	1	52
Rep 2		2-May	4-May	48	98	0	62
Rep 3		2-May	4-May	48	98	1	60
SC 49							
Rep 1		2-May	4-May	48	98	2	68
Rep 2		2-May	4-May	48	98	2	43
Rep 3		2-May	4-May	48	98	5	43
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							
SC							
Rep 1							
Rep 2							
Rep 3							

Schuck

Average E. Coli per sample	Average General Coliform per sample
----------------------------	-------------------------------------

2.00 12.67

0.67 58.00

3.00 51.33

0.00 0.00

0.00 0.00

0.00 0.00

0.00 0.00

0.00 0.00

0.00 0.00

0.00 0.00